

Bosch Climate 5000 Ductless Systems

Whether you need heating or cooling in one room or the entire home, the Bosch Climate 5000 series is a perfect solution. These systems provide energy-efficient, on-demand comfort that are flexible, simple to install, and easy to maintain. Bosch ductless systems are the best on the market.

BoschHeatingAndCooling.com



Invented for life



BOSCH



A Single Solution to Heat or Cool Your Home

The Bosch Climate 5000 Series

The Bosch Climate 5000 Ductless Series provides simple installation, maintenance, and cleaning. Shorter service times and high quality mean minimizing money spent while maximizing comfort and peace-of-mind. The Climate 5000 System utilizes a combination of efficient technologies to achieve up to a 25 SEER rating, reducing electricity usage and lowering your electric bill.⁽¹⁾

Features

- ▶ 100% heating capacity between -5°F and 5°F, depending on system configuration
- ▶ No additional accessory needed for Low Ambient Cooling operation down to -22°F with MAX Performance System (Maximum 107% Cooling capacity at -22°F)
- ▶ Whisper quiet operation: ODU as low as 53 dB, IDU as low as 23 dB⁽²⁾
- ▶ Wired wall thermostat, 24V Interface for use with 24V thermostat
- ▶ Intelligent Eye (Wall-Mounted Indoor Unit)⁽³⁾
- ▶ Factory installed base pan heater for all ODU models
- ▶ Built in condensate (lift) pump for Cassette & Ducted IDUs
- ▶ 10 year compressor & 10 year parts residential warranty[§]
- ▶ Compatible with the Bosch Connected Control (BCC) Wi-Fi Thermostat family*

Regular

Operating Range

Heating: -13°F - 86°F
Cooling: -13°F - 122°F

Single Zone

9K, 12K⁽⁴⁾, 18K, 24K
18K, 27K, 36K, 48K

MAX Performance

Operating Range

Heating: -22°F - 86°F
Cooling: -22°F - 122°F

Single Zone

6K, 9K, 12K, 18K, 24K
18K, 27K, 36K, 48K


Light Commercial

Operating Range

Heating: 5°F - 86°F
Cooling: 5°F - 122°F

Single Zone

30K, 36K, 48K



(1)Compared to 14 SEER wall-mounted systems. (2)With Silent mode. (3)Feature is only available on Generation 3 single zone system only (4)Available in 115V. *Product sold separately & additional accessory required. \$10 years parts residential warrant requires registration. Please go to boschheatingandcooling.com for full limited warranty details.

Why Bosch Ductless Systems?

High Efficiency, Whisper Quiet, and Easy-to-Use Systems

Our ENERGY STAR rated single zone systems provide high-efficiency comfort up to 25 SEER (the EPA requirement for ductless systems is 14 SEER) and can help lower energy costs by utilizing advanced, energy-saving inverter drive technology. The product is easy to install, easier to use, and delivers consistent temperature and humidity levels throughout the desired space by making automatic adjustments to meet your needs. Best of all, it does all of this at sound levels as low as 23 dBA.



How Does a Ductless System Work?

The system utilizes electricity to pump refrigerant and transfer heat from one space to another. In cooling mode during warm or summer months, the system efficiently moves heat from inside the space to the outdoors. Conversely, in heating mode during cold or winter months, the units utilize refrigerant, which is naturally colder than outdoor temperatures, to absorb heat from the outside and transfer it to inside the space.

No Space? No Problem!

The Climate 5000 is designed for easy installation and has the flexibility to fit virtually anywhere. No ductwork required means no messy renovations and makes our systems the ideal solution to a variety of installation challenges. The condenser is conveniently located outdoors, while up to five air handlers can be placed inconspicuously indoors. The electrical, refrigerant, and condensate drain lines that connect the indoor and outdoor units run through a 3" diameter hole in an exterior wall, making it both unobtrusive and easy to install.

Intelligent Eye

Using an infrared sensor, the Intelligent Eye feature saves energy and provides improved humidity control by lowering the speed of the compressor when nobody is in the room. This feature is included with the third generation wall-mounted indoor unit.



Indoor Air Quality, Maintenance, and Cleaning



The multi-part filter system refreshes and cleans the circulating air by reducing potential odors, allergens, viruses and bacteria while providing the peace-of-mind that you and your family are breathing easy. Additionally, the system helps to trap dust, pollen, mites and other particles that plague allergy sufferers. Our filters and components create a stellar sifting net in order to provide fresh breathable air. When it comes to cleaning the filters, our indoor air handler is simple to access, quick to clean and easy to maintain. Our system also comes equipped with a Self Cleaning Mode to help remove additional particles internally as well as moisture via our water-wicking blue fin technology, thereby eliminating mildew.

Take Control of Your Comfort

Since everyone has a different comfort level, the controller can be used to keep the room at a desired temperature and humidity level which may be different from the rest of the house or building. Our intuitive air handler regulates these levels according to the remote users' requests, but can also be programmed for automatic operation. The system also comes equipped with automated settings such as the "Follow Me" feature which allows the system to heat or cool toward a set-temperature based on where the remote is located within the room. The "Turbo" feature is also helpful when you need faster, on-demand comfort by speeding up the heating or cooling process when you need it the most.

Limited Residential Warranty[§]

With the limited residential warranty, you receive peace of mind knowing that the compressor is covered by a 10 year warranty and other parts for 10 years. This standard offering covers all components incorporated into the units at the time of manufacture. Unless otherwise stated, other components or parts that are purchased from Bosch and installed in the field have a 1 year replacement parts warranty from proof of certificate of occupancy date or proof of certified start-up date.



Single Zone Systems

- ▶ An excellent alternative to traditional HVAC systems where the focus is on individual rooms and living spaces rather than a central system's "one-size-fits-all" approach
- ▶ No timely, messy and costly ductwork or renovation needed means this compact and flexible system can be easily installed when only one room or space requires cooling or heating
- ▶ An ENERGY STAR, highly-efficient, quiet, single room application keeps energy bills low due to only heating and cooling one room when needed
- ▶ Common applications: individual rooms, studio apartments, additions, enclosed patios, restaurant, office space, mechanical / server rooms, or single rooms without space for ductwork

Multi Zone Systems

- ▶ Create total comfort throughout the whole house in the rooms you use the most
- ▶ Independent operation of each room with its own thermostat - set a comfortable temperature in each room
- ▶ One outdoor unit can be combined with up to five indoor units with both the Regular system and Max performance system for maximum cost and space savings
- ▶ Simplified system layout and connection offers extended flexibility when locating indoor units
- ▶ Quiet, compact and simple to install multi zone condensing sections are paired with any combination of single zone air handlers
- ▶ Common applications: entire home, multiple rooms within a 1-3 story home that are used the most



A Highly Efficient Heating & Cooling Split System



A

Wall Mounted IDU*

Redesigned sleek and modern looking Wall Mounted indoor unit can be easily installed with minimum required maintenance. Self-cleaning function is available with Single Zone system. Now includes intelligent eye to improve your comfort level.



B

Cassette IDU*

4-Way Cassette indoor unit can be used with both open concept or drop down ceilings. Minimal maintenance is required and self-cleaning function is available with Single Zone system for 9K ~ 24K Btu models.



C

Ducted IDU*

Ducted IDU requires only little duct work and is available in both medium (9K ~ 48K) and high (60K) static models. Self-cleaning function is available with Single Zone system for 9K ~ 24K Btu models.



D

Bosch ODU*

The robust Bosch Climate 5000 System is available in both single and multi zones which utilizes just the right amount of energy to achieve ultimate comfort and maximum efficiency while keeping sound levels to a minimum.



MAX Performance

Bosch MAX Performance systems provide comfortable and optimal indoor heating in cold-climate conditions even when outdoor temperatures drop down to -22°F. Best of all, no additional accessories are required for the system to work in low ambient temperature in both heating and cooling operation. Bosch MAX Performance system will produce 100% heating capacity even at -5°F.
⁽⁶⁾ Available in three indoor types: Wall Mounted, 4-Way Cassette and Ducted.

Enjoy a warm space this winter season with lower energy costs by utilizing advanced, energy-saving inverter drive technology. Bosch MAX Performance systems are easy to install, easier to use, and delivers consistent temperature and humidity levels throughout the desired space by making automatic adjustments to meet your needs.

Operating Range

Heating: -22°F - 86°F

Cooling: -22°F - 122°F

Single Zone

6K, 9K, 12K, 18K, 24K

Multi Zone

18K, 27K, 36K, 48K

Part Numbers and Descriptions

| MODEL # | PART # | DESCRIPTION |
|-----------------------|---------------|---|
| BMS-500AAS012-0AHWXC | 8-733-956-173 | Minisplit 12kBTU Single Zone Wall Mounted 115V |
| BMS-500AAS012-0CSXRB | 8-733-953-250 | Minisplit 12kBTU Single Zone Condensing Section Regular 115V |
| BMS-500AAU-006-1AHWXC | 8-733-956-181 | Minisplit 6kBTU Universal Wall Mounted 230V |
| BMS-500AAU-009-1AHWXC | 8-733-956-175 | Minisplit 9kBTU Universal Wall Mounted 230V |
| BMS-500AAU-012-1AHWXC | 8-733-956-176 | Minisplit 12kBTU Universal Wall Mounted 230V |
| BMS-500AAU-018-1AHWXC | 8-733-956-177 | Minisplit 18kBTU Universal Wall Mounted 230V |
| BMS-500AAU-024-1AHWXB | 8-733-953-097 | Minisplit 24kBTU Universal Wall Mounted 230V |
| BMS-500AAS-030-1AHWXB | 8-733-953-098 | Minisplit 30kBTU Single Zone Wall Mounted 230V |
| BMS-500AAS-030-1CSXRB | 8-733-953-099 | Minisplit 30kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAS-036-1AHWXB | 8-733-953-100 | Minisplit 36kBTU Single Zone Wall Mounted 230V |
| BMS-500AAS-036-1CSXRB | 8-733-953-101 | Minisplit 36kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAU-009-1AHDXB | 8-733-953-102 | Minisplit 9kBTU Universal Ducted 230V |
| BMS-500AAU-012-1AHDXB | 8-733-953-103 | Minisplit 12kBTU Universal Ducted 230V |
| BMS-500AAU-018-1AHDXB | 8-733-953-104 | Minisplit 18kBTU Universal Ducted 230V |
| BMS-500AAU-024-1AHDXB | 8-733-953-105 | Minisplit 24kBTU Universal Ducted 230V |
| BMS-500AAU-036-1AHDXB | 8-733-953-106 | Minisplit 36kBTU Universal Ducted 230V |
| BMS-500AAU-048-1AHDXB | 8-733-953-107 | Minisplit 48kBTU Universal Ducted 230V |
| BMS-500AAU-060-1AHDXB | 8-733-953-108 | Minisplit 60kBTU Universal Ducted 230V |
| BMS-500AAU-009-1AHCXB | 8-733-953-109 | Minisplit 9kBTU Universal Cassette 230V |
| BMS-500AAU-012-1AHCXB | 8-733-953-110 | Minisplit 12kBTU Universal Cassette 230V |
| BMS-500AAU-018-1AHCXB | 8-733-953-111 | Minisplit 18kBTU Universal Cassette 230V |
| BMS-500AAU-024-1AHCXC | 8-733-956-186 | Minisplit 24kBTU Universal Cassette 230V |
| BMS-500AAU-036-1AHCXB | 8-733-953-113 | Minisplit 36kBTU Universal Cassette 230V |
| BMS-500AAU-048-1AHCXB | 8-733-953-114 | Minisplit 48kBTU Universal Cassette 230V |
| BMS-500AAS-009-1CSXRC | 8-733-956-189 | Minisplit 9kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAS-012-1CSXRA | 8-733-942-698 | Minisplit 12kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAS-018-1CSXRC | 8-733-956-191 | Minisplit 18kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAS-024-1CSXRC | 8-733-956-192 | Minisplit 24kBTU Single Zone Condensing Section Regular 230V |
| BMS-500AAS-009-1CSXHB | 8-733-953-115 | Minisplit 9kBTU Single Zone Condensing Section Max Performance 230V |
| BMS-500AAS-012-1CSXHB | 8-733-953-116 | Minisplit 12kBTU Single Zone Condensing Section Max Performance 230V |
| BMS-500AAS-018-1CSXHC | 8-733-956-195 | Minisplit 18kBTU Single Zone Condensing Section Max Performance 230V |
| BMS-500AAS-024-1CSXHC | 8-733-956-196 | Minisplit 24kBTU Single Zone Condensing Section Max Performance 230V |
| BMS-500AAS-036-1CSXLB | 8-733-953-122 | Minisplit 36kBTU Single Zone Condensing Section Light Commercial 230V |
| BMS-500AAS-048-1CSXLB | 8-733-953-123 | Minisplit 48kBTU Single Zone Condensing Section Light Commercial 230V |
| BMS-500AAS-060-1CSXLB | 8-733-953-124 | Minisplit 60kBTU Single Zone Condensing Section Light Commercial 230V |
| BMS-500AAM018-1CSXRC | 8-733-956-199 | Minisplit 18kBTU Multi Zone Condensing Section Regular 230V |
| BMS-500AAM027-1CSXRC | 8-733-956-200 | Minisplit 27kBTU Multi Zone Condensing Section Regular 230V |
| BMS-500AAM036-1CSXRA | 8-733-942-705 | Minisplit 36kBTU Multi Zone Condensing Section Regular 230V |
| BMS-500AAM048-1CSXRA | 8-733-942-706 | Minisplit 48kBTU Multi Zone Condensing Section Regular 230V |
| BMS-500AAM018-1CSXHC | 8-733-956-202 | Minisplit 18kBTU Multi Zone Condensing Section Max Performance 230V |
| BMS-500AAM027-1CSXHC | 8-733-956-203 | Minisplit 27kBTU Multi Zone Condensing Section Max Performance 230V |
| BMS-500AAM036-1CSXHC | 8-733-956-227 | Minisplit 36kBTU Multi Zone Condensing Section Max Performance 230V |
| BMS-500AAM048-1CSXHC | 8-733-956-204 | Minisplit 48kBTU Multi Zone Condensing Section Max Performance 230V |





Systems & Part Numbers Single Zone

| Category | AHRI # | IDU Type | IDU Model | ODU Model | AHRI Performance Data - Single Zone | | | | | |
|-----------------------------|-----------|------------|----------------------|----------------------|-------------------------------------|------------------|-------------------|-----------------|------|-------------------|
| | | | | | Cooling Capacity | | | Heating at 47°F | | |
| | | | | | Btu/h | EER ⁶ | SEER ⁷ | Btu/h | COP | HSPF ⁸ |
| SINGLE ZONE REGULAR (115V) | 208157112 | Wall Mount | BMS500-AAS012-0AHWXC | BMS500-AAS012-0CSXRB | 12000 | 11.5 | 20 | 12300 | 3.6 | 9.5 |
| SINGLE ZONE REGULAR | 207759989 | Wall Mount | BMS500-AAU009-1AHWXC | BMS500-AAS009-1CSXRC | 9000 | 15 | 25.5 | 10000 | 3.95 | 12.2 |
| | 208650701 | Wall Mount | BMS500-AAU012-1AHWXC | BMS500-AAS012-1CSXRA | 11000 | 12.5 | 21 | 11500 | 3.22 | 9.6 |
| | 207759991 | Wall Mount | BMS500-AAU018-1AHWXC | BMS500-AAS018-1CSXC | 18000 | 12.5 | 22.6 | 19000 | 3.37 | 12.0 |
| | 208650713 | Wall Mount | BMS500-AAU024-1AHWXB | BMS500-AAS024-1CSXRC | 22400 | 12.5 | 22 | 23000 | 3.75 | 10.0 |
| | 203991156 | Wall Mount | BMS500-AAS030-1AHWXB | BMS500-AAS030-1CSXRB | 30000 | 11.5 | 19.8 | 30000 | 2.6 | 9.4 |
| | 203991157 | Wall Mount | BMS500-AAS036-1AHWXB | BMS500-AAS036-1CSXRB | 36000 | 8.6 | 16 | 36000 | 2.6 | 8.5 |
| | 207760012 | Cassette | BMS500-AAU009-1AHCXB | BMS500-AAS009-1CSXRC | 9000 | 13 | 20 | 10000 | 3.08 | 10.5 |
| | 203991167 | Cassette | BMS500-AAU012-1AHCXB | BMS500-AAS012-1CSXRA | 12000 | 14 | 21.5 | 12000 | 3.37 | 10.5 |
| | 207760015 | Cassette | BMS500-AAU018-1AHCXB | BMS500-AAS018-1CSXRC | 16000 | 12.5 | 20.5 | 18500 | 2.78 | 11 |
| | 207760017 | Cassette | BMS500-AAU024-1AHCXC | BMS500-AAS024-1CSXRC | 24000 | 12.5 | 20.7 | 25000 | 3.26 | 10.5 |
| | 203991170 | Cassette | BMS500-AAU036-1AHCXB | BMS500-AAS036-1CSXLB | 36000 | 9 | 17.5 | 38000 | 3.01 | 10.5 |
| | 203991171 | Cassette | BMS500-AAU048-1AHCXB | BMS500-AAS048-1CSXLB | 48000 | 9.5 | 16.8 | 50000 | 3.10 | 11.0 |
| | 207760000 | Ducted | BMS500-AAU009-1AHDXB | BMS500-AAS009-1CSXRC | 9000 | 13.5 | 21 | 10000 | 3.76 | 11.5 |
| | 203991160 | Ducted | BMS500-AAU012-1AHDXB | BMS500-AAS012-1CSXRA | 12000 | 12.5 | 21.5 | 12000 | 3.29 | 11.5 |
| | 207760004 | Ducted | BMS500-AAU018-1AHDXB | BMS500-AAS018-1CSXRC | 18000 | 12.5 | 20.5 | 20000 | 3.12 | 11.0 |
| | 207760006 | Ducted | BMS500-AAU024-1AHDXB | BMS500-AAS024-1CSXRC | 24000 | 12.6 | 21.5 | 24600 | 3.52 | 11.2 |
| | 203991163 | Ducted | BMS500-AAU036-1AHDXB | BMS500-AAS036-1CSXLB | 36000 | 9 | 16.5 | 40000 | 3.4 | 11.5 |
| | 203991164 | Ducted | BMS500-AAU048-1AHDXB | BMS500-AAS048-1CSXLB | 48000 | 9.2 | 17.4 | 49500 | 3.5 | 10.3 |
| | 203991165 | Ducted | BMS500-AAU060-1AHDXB | BMS500-AAS060-1CSXLB | 57000 | 10 | 18 | 60000 | 3.6 | 9.0 |
| SINGLE ZONE MAX PERFORMANCE | 208650706 | Wall Mount | BMS500-AAU009-1AHWXC | BMS500-AAS009-1CSXHB | 8500 | 13 | 22 | 10000 | 3.6 | 10.0 |
| | 208650707 | Wall Mount | BMS500-AAU012-1AHWXC | BMS500-AAS012-1CSXHB | 11000 | 11.5 | 21 | 11000 | 3.6 | 9.5 |
| | 207759996 | Wall Mount | BMS500-AAU018-1AHWXC | BMS500-AAS018-1CSXHC | 18000 | 12.5 | 21.5 | 18000 | 3.1 | 13.0 |
| | 208157119 | Wall Mount | BMS500-AAU024-1AHWXB | BMS500-AAS024-1CSXHC | 24000 | 13 | 21 | 26000 | 3.1 | 12.0 |
| | 204014464 | Cassette | BMS500-AAU009-1AHCXB | BMS500-AAS009-1CSXHB | 9000 | 13 | 20 | 10000 | 3.08 | 10.8 |
| | 204014465 | Cassette | BMS500-AAU012-1AHCXB | BMS500-AAS012-1CSXHB | 12000 | 12.5 | 19.5 | 12000 | 3.66 | 10.6 |
| | 207760016 | Cassette | BMS500-AAU018-1AHCXB | BMS500-AAS018-1CSXHC | 16000 | 12.5 | 20 | 18000 | 2.88 | 10.3 |
| | 207760018 | Cassette | BMS500-AAU024-1AHCXC | BMS500-AAS024-1CSXHC | 24000 | 11 | 20.2 | 25000 | 3.5 | 11.6 |
| | 204014467 | Ducted | BMS500-AAU009-1AHDXB | BMS500-AAS009-1CSXHB | 9000 | 13.5 | 23 | 10000 | 3.6 | 12 |
| | 204014468 | Ducted | BMS500-AAU012-1AHDXB | BMS500-AAS012-1CSXHB | 12000 | 12.5 | 20.5 | 12000 | 3.3 | 11 |
| | 207760005 | Ducted | BMS500-AAU018-1AHDXB | BMS500-AAS018-1CSXHC | 16500 | 12.5 | 19.6 | 19000 | 2.93 | 11 |
| | 207760008 | Ducted | BMS500-AAU024-1AHDXB | BMS500-AAS024-1CSXHC | 24000 | 12.5 | 20.6 | 24600 | 3.66 | 12.6 |

Blue Rows = ENERGY STAR Certified. (6) Energy Efficiency Ratio; Certified per AHRI 210/240. (7) Seasonal Energy Efficiency Ratio; Certified (8) HSPF = Heating Seasonal Performance Factor; Certified per AHRI 210/240. Note: Always check the rating plate for electrical data on the unit being installed. The listed data is for reference only. Please consult boschheatingandcooling.com for further details. per AHRI 210/240.

Order Information Single Zone

| SINGLE ZONE 115 VOLT SYSTEM | | | | | | | | | |
|-----------------------------|--------------|--|---|--|--|--|--|--|--|
| CATEGORY | BTU/H | | 12K | | | | | | |
| ODU TYPE (PART NUMBER) | 115V | |  | | | | | | |
| | | | 8733953250 | | | | | | |
| IDU TYPE (PART NUMBER) | Wall Mounted | |  | | | | | | |
| | | | 8733956173 | | | | | | |

| SINGLE ZONE SYSTEMS | | | | | | | | | | | | |
|---------------------------|---------------------------------|-----------------|---|---|---|--|---|---|---|---|---|--|
| CATEGORY | BTU/H | | 6K | 9K | 12K | 18K | 24K | 30K | 36K | 48K | 60K | |
| ODU TYPE (PART NUMBER) | Regular | Universal | |  |  |  |  |  |  |  |  | |
| | | | | 8733956189 | 8733942698 | 8733956191 | 8733956192 | | | | | |
| | MAX Performance | Universal | |  |  |  |  |  |  |  |  | |
| | | | | 8733953115 | 8733953116 | 8733956195 | 8733956196 | | | | | |
| | Light Commercial | Wall Mount Only | | | | | |  |  |  |  | |
| | | | | | | | | 8733953099 | 8733953101 | 8733953122 | 8733953123 | |
| | Cassette / Ducted Only | | | | | | | | | | | |
| | | | | | | | | | | | | |
| IDU TYPE (PART NUMBER) | Wall Mounted | |  |  |  |  |  |  |  |  |  | |
| | | | 8733956181 | 8733956175 | 8733956176 | 8733956177 | 8733953097 | 8733953098 | 8733953100 | | | |
| | Four - Way Cassette* (2 X 2) | |  |  |  |  |  |  |  |  |  | |
| | | | 8733953109 | 8733953110 | 8733953111 | | | | | | | |
| | Four - Way Cassette* (3 X 3) | | | | | |  |  |  |  |  | |
| | | | | | | | 8733956186 |  |  |  |  | |
| | Medium Static Ducted | |  |  |  |  |  |  |  |  |  | |
| | | | 8733953102 | 8733953103 | 8733953104 | 8733953105 | | | | | | |
| | High Static Ducted | | | | | | | | | |  | |
| | | | | | | | | | | | 8733953108 | |

*Cassette decorative grille should be purchased separately

Systems & Part Numbers Multi Zone

| Category | AHRI # | IDU Type | ODU Model | AHRI Performance Data - Multi Zone | | | | | Energy Star | Energy Star Cold Climate | |
|----------------------------|-----------|------------|----------------------|------------------------------------|------------------|-------------------|-------|------|-------------|--------------------------|-----|
| | | | | Btu/h | EER ⁶ | SEER ⁷ | Btu/h | COP | | | |
| MULTI ZONE REGULAR | 207760021 | Non-Ducted | BMS500-AAM018-1CSXRC | 18000 | 13.3 | 22.5 | 19000 | 4 | 10.6 | Yes | No |
| | 207760024 | Non-Ducted | BMS500-AAM027-1CSXRC | 28000 | 12.5 | 23.8 | 28000 | 3.73 | 10.5 | Yes | No |
| | 203991176 | Non-Ducted | BMS500-AAM036-1CSXRA | 33000 | 12.5 | 23.0 | 36000 | 3.4 | 10.2 | No | No |
| | 203991178 | Non-Ducted | BMS500-AAM048-1CSXRA | 48000 | 12.5 | 22.4 | 48000 | 3.6 | 10.2 | Yes | No |
| | 207760022 | Ducted | BMS500-AAM018-1CSXRC | 18000 | 12.0 | 19.0 | 19000 | 4 | 10.8 | Yes | Yes |
| | 207760025 | Ducted | BMS500-AAM027-1CSXRC | 28000 | 11.2 | 21.0 | 28000 | 3.66 | 10.2 | Yes | No |
| | 203991177 | Ducted | BMS500-AAM036-1CSXRA | 36000 | 10.0 | 21.0 | 37000 | 3.66 | 10 | No | No |
| | 203991179 | Ducted | BMS500-AAM048-1CSXRA | 49000 | 10.1 | 20.5 | 50000 | 3.73 | 11.5 | No | No |
| MULTI ZONE MAX PERFORMANCE | 207760033 | Non-Ducted | BMS500-AAM018-1CSXHC | 19000 | 12.5 | 22.0 | 20000 | 3.40 | 10.2 | Yes | Yes |
| | 207760036 | Non-Ducted | BMS500-AAM027-1CSXHC | 28000 | 12.5 | 22.5 | 28000 | 3.66 | 11.3 | Yes | Yes |
| | 207760039 | Non-Ducted | BMS500-AAM036-1CSXHC | 36000 | 13.6 | 21.8 | 36400 | 3.85 | 11 | Yes | Yes |
| | 207760042 | Non-Ducted | BMS500-AAM048-1CSXHC | 48000 | 11.6 | 21.5 | 49000 | 3.59 | 11 | Yes | Yes |
| | 207760034 | Ducted | BMS500-AAM018-1CSXHC | 18500 | 11.5 | 19.0 | 19000 | 3.48 | 9.8 | Yes | Yes |
| | 207760037 | Ducted | BMS500-AAM027-1CSXHC | 28000 | 11.5 | 20.0 | 28000 | 3.52 | 10.1 | Yes | Yes |
| | 207760040 | Ducted | BMS500-AAM036-1CSXHC | 36000 | 11.3 | 19.0 | 37000 | 3.74 | 11 | Yes | No |
| | 207760043 | Ducted | BMS500-AAM048-1CSXHC | 47000 | 11.4 | 20.2 | 50000 | 3.86 | 10.5 | Yes | Yes |

Order Information Multi Zone

| Capacity | Multi Zone Systems | | | | | |
|------------------------|----------------------------|--------------|--------------|--------------|--------------|------------|
| | BTU/H (Max Zone) | 18K (2 Zone) | 27K (3 Zone) | 36K (4 Zone) | 48K (5 Zone) | |
| ODU Type (Part Number) | Regular | | | | | |
| | | 8733956199 | 8733956200 | 8733942705 | 8733942706 | |
| | MAX Performance | | | | | |
| | | 8733956202 | 8733956203 | 8733956227 | 8733956204 | |
| IDU Capacity | Btu/h | 6K | 9K | 12K | 18K | 24K |
| IDU Type (Part Number) | Wall Mounted | | | | | |
| | | 8733956181 | 8733956175 | 8733956176 | 8733956177 | 8733956178 |
| | Four - Way Cassette* (2X2) | | | | | |
| | | 8733953109 | 8733953110 | 8733953111 | | |
| IDU Type (Part Number) | Four - Way Cassette* (3X3) | | | | | |
| | | | | | 8733956186 | |
| | Medium Static Ducted | | | | | |
| | | 8733953102 | 8733953103 | 8733953104 | 8733953105 | |

Blue Rows = ENERGY STAR Certified. (6) Energy Efficiency Ratio; Certified per AHRI 210/240. (7) Seasonal Energy Efficiency Ratio; Certified (8) HSPF = Heating Seasonal Performance Factor; Certified per AHRI 210/240. Note: Always check the rating plate for electrical data on the unit being installed. The listed data is for reference only. Please consult boschheatingandcooling.com for further details. per AHRI 210/240. *Cassette decorative grille should be purchased separately.

Multi Zone Configuration Table

Regular & **MAX** Performance

| | 2 ZONE | 3 ZONE | 4 ZONE | | 2 ZONE | 3 ZONE | 4 ZONE | 5 ZONE |
|-----|--------|----------|------------|--|--------|----------|------------|--------------|
| 18K | 6+6 | | | | 9+24 | 6+6+24 | 6+6+6+18 | 6+6+6+6+9 |
| | 6+9 | | | | 9+30 | 6+6+30 | 6+6+6+24 | 6+6+6+6+12 |
| | 6+12 | | | | 9+36 | 6+6+36 | 6+6+6+30 | 6+6+6+6+18 |
| | 9+9 | | | | 12+24 | 6+9+24 | 6+6+6+36 | 6+6+6+6+24 |
| | 9+12 | | | | 12+30 | 6+9+30 | 6+6+9+18 | 6+6+6+6+30 |
| | 12+12 | | | | 12+36 | 6+9+36 | 6+6+9+24 | 6+6+6+6+36 |
| 27K | 6+12 | 6+6+6 | | | 18+18 | 6+12+18 | 6+6+9+30 | 6+6+6+9+9 |
| | 6+18 | 6+6+9 | | | 18+24 | 6+12+24 | 6+6+9+36 | 6+6+6+9+12 |
| | 9+9 | 6+6+12 | | | 18+30 | 6+12+30 | 6+6+12+12 | 6+6+6+9+18 |
| | 9+12 | 6+6+18 | | | 18+36 | 6+12+36 | 6+6+12+18 | 6+6+6+9+24 |
| | 9+18 | 6+9+9 | | | 24+30 | 6+18+18 | 6+6+12+24 | 6+6+6+9+30 |
| | 12+12 | 6+9+12 | | | 24+36 | 6+18+24 | 6+6+12+30 | 6+6+6+9+36 |
| | 12+18 | 6+9+18 | | | 30+30 | 6+18+30 | 6+6+12+36 | 6+6+6+12+12 |
| | 18+18 | 6+12+12 | | | | 6+18+36 | 6+6+18+18 | 6+6+6+12+18 |
| | | 6+12+18 | | | | 6+24+24 | 6+6+18+24 | 6+6+6+12+24 |
| | | 9+9+9 | | | | 6+24+30 | 6+6+18+30 | 6+6+6+12+30 |
| | | 9+9+12 | | | | 9+9+18 | 6+6+24+24 | 6+6+6+18+18 |
| | | 9+9+18 | | | | 9+9+24 | 6+9+9+12 | 6+6+6+18+24 |
| | | 9+12+12 | | | | 9+9+30 | 6+9+9+18 | 6+6+9+9+9 |
| | | 12+12+12 | | | | 9+9+36 | 6+9+9+24 | 6+6+9+9+12 |
| 36K | 6+18 | 6+6+12 | 6+6+6+6 | | | 9+12+12 | 6+9+9+30 | 6+6+9+9+18 |
| | 6+24 | 6+6+18 | 6+6+6+9 | | | 9+12+18 | 6+9+9+36 | 6+6+9+9+24 |
| | 9+18 | 6+6+24 | 6+6+6+12 | | | 9+12+24 | 6+9+9+42 | 6+6+9+9+30 |
| | 9+24 | 6+9+12 | 6+6+6+18 | | | 9+12+30 | 6+9+12+12 | 6+6+9+9+36 |
| | 12+12 | 6+9+18 | 6+6+6+24 | | | 9+12+36 | 6+9+12+18 | 6+6+9+12+12 |
| | 12+18 | 6+9+24 | 6+6+9+9 | | | 9+18+18 | 6+9+12+24 | 6+6+9+12+18 |
| | 12+24 | 6+12+12 | 6+6+9+12 | | | 9+18+24 | 6+9+12+30 | 6+6+9+12+24 |
| | 18+18 | 6+12+18 | 6+6+9+18 | | | 9+18+30 | 6+9+18+18 | 6+6+9+18+18 |
| | 18+24 | 6+12+24 | 6+6+9+24 | | | 9+18+36 | 6+9+18+24 | 6+6+9+18+24 |
| | 24+24 | 6+18+18 | 6+6+12+12 | | | 9+24+24 | 6+9+18+30 | 6+6+12+12+12 |
| | | 6+18+24 | 6+6+12+18 | | | 9+24+30 | 6+12+12+12 | 6+6+12+12+18 |
| | | 9+9+9 | 6+6+12+24 | | | 12+12+12 | 6+12+12+18 | 6+6+12+12+24 |
| | | 9+9+12 | 6+9+9+9 | | | 12+12+18 | 6+12+12+24 | 6+6+12+18+18 |
| | | 9+9+18 | 6+9+9+12 | | | 12+12+24 | 6+12+12+30 | 6+9+9+9+9 |
| | | 9+9+24 | 6+9+9+18 | | | 12+12+30 | 6+12+18+18 | 6+9+9+9+12 |
| | | 9+12+12 | 6+9+9+24 | | | 12+12+36 | 6+12+18+24 | 6+9+9+9+18 |
| | | 9+12+18 | 6+9+12+12 | | | 12+18+18 | 9+9+9+9 | 6+9+9+9+24 |
| | | 9+12+24 | 6+9+12+18 | | | 12+18+24 | 9+9+9+12 | 6+9+9+9+30 |
| | | 9+18+18 | 6+12+12+12 | | | 12+18+30 | 9+9+9+18 | 6+9+9+12+12 |
| | | 12+12+12 | 6+12+12+18 | | | 12+24+24 | 9+9+9+24 | 6+9+9+12+18 |
| | | 12+12+18 | 9+9+9+9 | | | 18+18+18 | 9+9+9+30 | 6+9+9+12+24 |
| | | 12+12+24 | 9+9+9+12 | | | 18+18+24 | 9+9+9+36 | 6+9+9+18+18 |
| | | 12+18+18 | 9+9+9+18 | | | | 9+9+12+12 | 6+9+12+12+12 |
| 48K | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Purple Text= MAX Performance. Multi Zone Regular Capacity matching guide: ODU capacity x 0.66 ≤ IDU total capacity ≤ ODU capacity x 1.33

About Bosch

Bosch Group

The Bosch Group is a leading global supplier of technology and services in the areas of Automotive, Industrial Technology, Consumer Goods and Building Technology. The company was founded in Stuttgart, Germany, in 1886 and presently has more than 440 subsidiaries and is represented in over 150 countries.

In the U.S., Canada and Mexico, the Bosch Group manufactures and markets automotive original equipment and aftermarket solutions, industrial drives and control technology, power tools, security and communication systems, packaging technology, thermotechnology, household appliances and software solutions. The Bosch Group's products and services are designed to improving quality of life by providing innovative and beneficial solutions. In this way, the company offers technology worldwide that is Invented for life. Additional information is available online at boschheatingandcooling.com and bosch.ca.

Bosch Thermotechnology in North America

Bosch Thermotechnology is a leading source of high quality water heating and comfort systems. The company offers gas tankless, electric whole house and point-of-use water heaters, Bosch and Buderus floor-standing and wall mounted boilers, Bosch and FHP geothermal, water-source and air-source systems as well as controls and accessories for all product lines. Bosch Thermotechnology is committed to being Simply Smart by offering products that work together as integrated systems that enhance quality of life in an ultra-efficient and environmentally friendly manner. For more information, visit boschheatingandcooling.com.



Bosch Thermotechnology Corp.

Watertown, MA • Londonderry, NH • Ft. Lauderdale, FL
General Inquiries: 1-866-642-3198

Copyright © 2023 Bosch Thermotechnology Corp.
All rights reserved. Subject to change without notice.